


Quick Check Drive® Inspection

Autonomous Alignment and Tread Depth for the Service Drive

MADE IN USA
USING THE FINEST US & GLOBAL MATERIALS



HN HunterNet® Connectivity

Featuring Flightboard™ —
At-A-Glance touchless inspection results

Vehicle

Toyota : RAV4 4X2 : 2015

MO AH1Y9C

11:43

Wheel Alignment



Recommend a comprehensive alignment check

⚠ May require Safety System Alignment®

Front Tires



Rear Tires



Unmanned Inspection At-A-Glance

PATENTED

Automatic Alignment and Tread Depth Results

- ✓ **Quick Check Drive®** — Touchless total toe and individual camber
- ✓ **Quick Tread Edge®** — Measures tread depth, analyzes data on-site, and instantly displays results
- ✓ **Boost most profitable undercar services**
- ✓ **No additional labor required**

NO STOPPING

**PLEASE
DRIVE
FORWARD**

NO LABOR



NO DATA ENTRY



Vehicle Identification

Automatically determine OEM specs for most vehicles

PATENT PENDING



RECOMMENDED
External Camera

Optional Body Camera Feature



Automatic body photos protect against mistaken damage claims

**Quick Check Drive® —
A powerful autonomous
alignment inspection system!**

**Quick Tread Edge® —
Touchless tread depth with
edge wear detection!**

Quick Tread Edge® requires a Hunter inspection console.

Vehicle OE warranty policies vary, please consult OE guidelines when establishing vehicle inspection policies.

External identification camera sold separately.

As state-by-state license plate designs evolve, the use of an external camera is recommended to insure the inspection system's continuous accuracy.

Get Results Your Way

Flightboard™

Provide immediate feedback on customer alignment and tread depth inspections, while alerting them to important safety recall information.



Self-Service Kiosks*

Allow customers to review, approve, and schedule recommended services during check-in.


Shop Results

Present detailed inspection information from any PC or tablet with an internet connection.



Push Reports

Daily delivery of inspection rates, opportunities, alignment numbers, and conversions by email and text from your connected Hunter equipment that allows you to compare results to goals you set.



* Requires third-party integration.

Selling and Reporting Tools

Powered by



Increase your productivity and revenue with HunterNet® selling tools.

TAP FOR DETAILS

- ✓ Quickly view vehicle service opportunities
- ✓ Access and email detailed inspection results
- ✓ Review body image photos to assess damage claims
- ✓ Edit or resolve vehicle information for proper alignment specs
- ✓ Desktop- and mobile-friendly



PUSH REPORTS — Measure inspection performance and pinpoint improvement opportunities with reporting tools.

Set goals and track performance

- ✓ View inspection rates and opportunities
- ✓ Measure alignment numbers and conversions

Dynamic reporting

- ✓ Track balancing and Road Force® utilization
- ✓ See 7-day alignment and tire trends
- ✓ Track significant milestones
- ✓ Automatic, daily delivery



Autonomously Identify Today's Most Profitable Service Opportunities

Wheel measurement data is superior to tire wear evaluations when assessing alignment need

100,000 Vehicle Study

Check tire wear

87,000 
Normal

13,000 
Irregular

Check alignment

42,630 (42%) 
Passed

44,370 (44%) 
Failed

7,280
(7%) 
Failed

5,720
(5%) 
Passed

If you are assuming alignment issues only from checking tire wear, you could miss out on **\$145,000/yr** in profits.

\$40,000/yr

Based on a 100,000-vehicle study of real-world equipment installations where both tread and wheel measurements (total toe and individual camber) were audited simultaneously for each vehicle checked. *See Form 6962-T based on a 25,000-Vehicle Study from 2015.

Return On Investment

Vehicles/day: **50**

Alignment Inspection

Typical Failure Rate
50%

Daily Alignment Opportunity
25

Customer's Acceptance Rate
40%

Typical Alignment Profit
\$68

Additional Alignment Sales:
+10
\$680

+ Tire Inspection

Typical Failure Rate
15%

Daily Tire Opportunity
30

Customer's Acceptance Rate
60%

Typical Tire Profit
\$26

Additional Tires Sales:
+18
\$468

Add'l Daily Profit:

\$1,158

Annual Return:

\$305,712

Equipment Investment:

\$100,000

Equipment Payback:

4 Months!

Automatic Tire Offers in 15 Seconds!

HUNTER
Engineering Company

DealerTire

Hunter Unmanned Inspection Equipment automatically captures:

- ✓ Tire Tread
- ✓ Wheel Size
- ✓ VIN
- ✓ Alignment



Dealer Tire Integration automatically provides:

- ✓ Correct Tire Choices
- ✓ Correct Pricing
- ✓ In Stock
- ✓ and More

Fully-automatic sales tool in 15 seconds

HARRISON auto mall

Search results for 2013 NISSAN JUKE

Inspections Dashboard Parts Portal Quote

Dynamic Retail Selling Guide

Size SKU/PN Vehicle VIN Product

Year Make Model Trim Option

Search Clear

Filters

Tire Size (show only)

- ☒ 215/55R17 (17)
- ☒ 215/55ZR17 (1)
- ☐ 225/45R18 (7)
- ☐ 225/45ZR18 (1)
- ☒ P215/55R17 (8)

We Stock

- ☐ Yes (0)
- ☐ No (34)
- ☒ All (34)

Brand (show only)

Showing 26 out of 34 items (8 hidden)

Sorted by Default

Continental CONTIPROCONTACT BW

P215/55R17 | 93V

SKU: 1549042 PN: OETIR02923

OEM Road Hazard Included

Warranty: 40,000 Miles

Compare

5 on hand as of 9:21 a.m.

Warehouse availability

Check

Buy 3 get 1 for \$1.00 Promotion

Retail	Installed*
\$580.15	\$758.13

Includes tax and promotion

4 Add

Michelin PRIMACY MXV4 BW

P215/55R17 | 93V

SKU: 08357 PN: OETIR02936

Fuel Efficient OEM

4 on hand as of 9:21 a.m.

Warehouse availability

Check

Retail	Installed*
\$1004.40	\$1224.80

Includes tax

4 Add

Annotations:

- Your Logo
- Customer's Vehicle
- Customer's Wheel Size
- Your Inventory
- Your Promo
- Your Prices
- Ready to Buy

Benefits of Autonomous Service Experience



GoMoto's Self-Service Kiosk integrates data captured by Hunter's unmanned inspection to provide customers:

- ✓ Recommended service at check-in
- ✓ Ability to accept or reject recommended service
- ✓ Ability to schedule recommended service once approved
- ✓ **Increase Drive Efficiency**
 - Write more ROs without increasing staff
 - Relieve busy hour overflow
 - Save valuable space in smaller drive
- ✓ **Enhance Customer Experience**
 - Kiosks reduce customer wait times
 - Kiosks engage Millennial and Gen-Y customers
 - Kiosks provide consistent experience for every customer, every time
 - Reduce wait times and engage younger customers with a consistent, streamlined experience



Sample GoMoto inspection results

Partner Integration

Our industry-leading partners integrate with virtually every major dealer management and shop management system to provide seamless customer service experience.




AutoPoint sample phone interface

AUTO DEALER



AFTERMARKET



Open Recall Reporting

Open Recall Reports powered by CARFAX® indicates if an open, unperformed recall is present for a specific VIN.

More than 57 million vehicles in the U.S. (one of every five on the road) have an open, unperformed recall as of 2018 according to CARFAX estimates.

Powered by



ENHANCED Touchless Inspection: **Quick Check Drive® and Quick Tread Edge®**


MADE IN USA
USING THE FINEST US & GLOBAL MATERIALS




Quick Check Drive®
automatically measures
individual camber and
total toe.



Quick Tread Edge® automatically
measures the tread depth of each
tire from edge to edge in seconds.



- ✓ Flush-mounted Quick Tread Edge® configuration integrates seamlessly with Quick Check Drive®
- ✓ Stores tread depth records to create customer history for use in marketing efforts
- ✓ No recurring monthly charge
- ✓ Built with corrosion-resistant stainless steel, includes self-cleaning air knife



Accurate tread depth calculated for each groove.


Introducing the Hunter Quick Pit



You want to invest in Hunter's Quick Check Drive® and flush-mounted Quick Tread Edge® inspection system, but have concerns with disrupting your service lane...



**Turn a
Typical
Service Lane...**



**...Into a
Fully-Autonomous
Inspection Lane**

Step 1: Excavation Pit and Conduit Trench ~ 3 Hours



Step 2: Secure Frame and Run Conduit ~ 3 Hours



Step 3: Pour and Finish Concrete ~ 2 Hours



**See an installation
in action!** (scan QR code)

For detailed site requirements, please reference forms 7711-T, 7615-T, 7616-T, and 7617-T. Specific construction processes will vary. Consult local codes prior to construction. Contact your local Hunter Representative to learn more!

Light-Duty vs. Medium-Duty Inspection



HARRISON WHEEL ALIGNMENT									
Welcome to Harrison Auto Mall									
Vehicle		Wheel Alignment	Front Tires	Rear Tires					
Honda : Accord : 2017	CA 6WVUS67	11:43	Recommend a comprehensive alignment check ⚠ May require Safety System Alignment*						
Toyota : Sienna CX : 2014	CO 129KCH	11:36	All measured angles passed						
Nissan : Sentra : 2016	OH FYW1888	11:32	All measured angles passed						
Ford : F150 4X4 : 2017	IN 502ANR	11:29	Recommend a comprehensive alignment check ⚠ May require Safety System Alignment*						
Nissan : Versa : 2016	KS 3B8AD2	11:24	All measured angles passed						
Dodge : Grand Caravan : 2014	MI ALJAKXS	11:21	Recommend a comprehensive alignment check						
Honda : Accord Hybrid : 2014	NV 746JTN	11:19	All measured angles passed						

Light-Duty Flightboard™ — Results shown dependent on selected equipment. Passenger Inspection Systems only display up to four wheels per vehicle. For two-axle vehicles with more than four wheels, like dually pickups, an HD console is required.*

Quick Pit Single Pour Frame and Tub – 20-3701-1

For vehicles with axle weight up to 7,000 lbs.

Ordered separately.



BIG TONY'S TRUCK SERVICE									
Welcome to Big Tony's Truck Service									
Vehicle	Wheel Alignment	Steer Tires	Drive Tires	Additional Tires					
Quick Check : Heavy Duty : 13:09	Recommend a comprehensive alignment check	9	6	7	9	9			
PA ALB9002		7	7	10	10				
Quick Check : Heavy Duty : 12:56	Recommend a comprehensive alignment check	10	5	9	9	10			
WV B100658		5	6	8					
Quick Check : Heavy Duty : 12:39	Recommend a comprehensive alignment check	5	5						
CO 3B8KXW		5	6	6					
Quick Check : Heavy Duty : 12:39	Recommend a comprehensive alignment check	10	5	8	7	8	4 ADDITIONAL		
		5	7	8	8	8	+1	+2	+1
		7	8	9	9	9	1		
		11	5	8	9	9			

Medium- and Heavy-Duty Flightboard™ — Heavy-duty console required to display more than four wheels per vehicle. Results shown dependent on selected equipment.* —

Heavy-Duty Quick Pit Single Pour Frame and Tub – 20-3818-1

For vehicles with axle weight greater than 7,000 lbs.

Ordered separately.




* Displays used for Flightboard™ are sourced locally. Refer to 7614-T for more information.

PATENT PENDING

Automatic Vehicle Identification

Standard, built-in cameras capture vehicle's license plate as it enters or exits the Quick Check Drive® unit's field of vision. Automatically determine OEM specs on most vehicles.




Powered by:



Automatically determine vehicle year,
make, model and alignment specifications

* Internet connection required, powered by CARFAX™

SmartPlate Alternative for Select Areas



* Vehicle identity must be entered manually at initial visit.
SmartPlate requires an active HunterNet® account.

RECOMMENDED

External Camera for Challenging Situations

Hunter's external vehicle identification camera captures better quality photos — especially on challenging license plate designs and special character layouts.*

- ✓ External camera solves difficult install situations such as low lighting, daylight glare, and field of view obstacles
- ✓ Flexible camera installation options include indoor or outdoor placement, ceiling- or wall-mounted, and center or off-center locations



Standard Quick Check Drive® camera resolution



Optional external camera resolution

- ✓ Identify characters better, more often
- ✓ Special characters are more recognizable at higher resolution
- ✓ Distinguish characters from plate design more easily


Extensive license plate coverage

- ✓ Every U.S. state and most Canadian Provinces*
- ✓ Custom character plates
- ✓ State vanity plates
- ✓ New plates available regularly with spec updates



Flexible camera installation options

- ✓ Indoor or outdoor
- ✓ Ceiling- or wall-mounted, center or off-center
- ✓ Front or rear license plate position
- ✓ Quick Tread® or Quick Check® camera trigger




* See form 7604-T for a map of states with challenging license plates.


OPTIONAL

Automatic Body Image Capture

Using the same built-in high-definition cameras, the body damage cameras enable your shop to capture 40 or more images per vehicle in the same time it takes to check wheel alignment.



- ✓ Save your shop thousands of dollars in false vehicle-damage claims
- ✓ Immediate access to your body damage camera images — no need to contact a third-party surveillance company and wait for the images

 Send to Collision Center

- ✓ **NEW! Easily send the vehicle body images to collision shop for a repair estimate**
- ✓ **Fully-integrated with Body Shop Booster**

**BODY SHOP
BOOSTER**

Use HunterNet® to quickly review vehicle images


- ✓ Intuitive body damage camera interface displays vehicle information and date of service
- ✓ Four cameras capture an average of 10 images each
- ✓ 15-day image storage standard
- ✓ Premium 90-day storage package available




Did you know? Body damage cameras can save thousands of dollars per month on false damage claims. It is not uncommon for customers to be “mistaken” about when damage occurs.

A Fully-Connected Shop Powered by HunterNet® 2

Take control of your equipment,
your numbers, and your profitability.

 Visualize your shop's performance
by setting goals and watching trends


 Realize your equipment ROI
in real time

 Order genuine Hunter
consumable parts any time

 Review your Hunter equipment
activity from anywhere




Connect All Your Stores!



NEW! Multi-Store View

View all your stores together, performance ranked,
and equipment inventoried.



Single-Store View

View each store individually to see more detailed
reports, order consumables, and more!



Configurations for Every Shop

Integrate Quick Check Drive® with flush-mounted Quick Tread Edge® to build the most profitable unmanned inspection system.

Entrance Configuration – RECOMMENDED



Exit Configuration



Middle Configuration

Site Considerations:

- ✓ Hardwired internet connection required for Quick Check Drive®
- ✓ Weather protection recommended as warranted by local conditions
- ✓ Impact protection recommended as warranted by lane layout
- ✓ Body cameras and vehicle ID performance require uniform and reasonably bright lane lighting



Please see your Hunter Sales Representative for details

Be sure to check out other Hunter literature for more quality products from Hunter Engineering.

Quick Check, Quick Check Drive, Quick Tread, Quick Tread Edge, HunterNet, and WinAlign are registered trademarks of Hunter Engineering Company.



HUNTER
Engineering Company

www.hunter.com